

# **Test Report**

Report No. : AGC13697230101-005S1

**SAMPLE NAME**: 4G Mobile WiFi

**MODEL NAME** : MT504


**APPLICANT**: MeiG Smart Technology Co., Ltd

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Feb .01, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.







Applicant : MeiG Smart Technology Co., Ltd

Address : 2ndFloor, OfficeBuilding, No.5LingxiaRoad, Fenghuang, Fuyong Street,

Bao'an District, Shenzhen, China.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,

Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

#### **Report on the submitted sample(s) said to be:**

Sample Name : 4G Mobile WiFi

Sample total weight : 160.34g

Material : Plastic

Model : MT504

Manufacturer : MeiG Smart Technology Co., Ltd

Address : 2ndFloor, OfficeBuilding, No.5LingxiaRoad, Fenghuang, Fuyong Street,

Bao'an District, Shenzhen, China.

Supplier : MeiG Smart Technology Co., Ltd

Sample Received Date : Jan. 09, 2023


Testing Period : Jan. 09, 2023 to Jan. 14, 2023

WEEE Directive Category:6 Small IT and	l telecommunication equip	ment (no external dimension more				
than 50 cm)						
Result of Reuse /Recycling /Recovery Assessment						
Reuse /Recycling /Recovery	Reuse /Recycling (%)	Recovery (%)				
Reuse /Recycling /Recovery Targets under the 2012/19/EU WEEE Directive	55	75				
Result of Assessment	75.24	75.24				
WEEE requirement compliance	OK	OK				

Approved by : Jessie

Liangdan, Jessie.Liang

**Technical Director** 






Report Revise Record


Report Version	Issued Date	Valid Version	Notes
/	Jan. 14, 2023	Invalid	Initial release
S1	Feb. 01, 2023	Valid	Modification of sample name




# **Contents:**

### 1. Disassembly Tree










#### 2. Disassembly Procedure

The disassembly procedure taken here is in accordance with the treatment requirements under the Annex VII of the WEEE Directive. In addition, to consider economic and efficiency factors, manual operation and disassembly tools have been applied to separate the components and materials from this product in order to simulate the scenario at the treatment facility, and to achieve the objective that the separated components and materials can be reused, recycled and recovered.





#### 3. Disassembly tool

The disassembly tools used for this product show as following:

Disassembly Tool	Pictures	Disassembly Tool	Pictures
Diagonal Pliers		Knife	
Screwdriver		Pruning shears	

#### 4. Dismantling time

40 minutes

## **5. Selective Treatment for Materials and Components**

According to Articles 6(1) and the Annex VII of the WEEE Directive, this product contains components and material items are described in the following table.

Component/Material		Photo No.	Size &Quantity	Weight (g)
Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres	PCB board (Host)	C1	45.6cm <sup>2</sup>	11.28

#### 6. Material and Recycling Information

According to the information declared by the applicant company, the material and recycling information for this product is described in the following table.

The reuse, recycling and recovery assessment for this product is based upon economic and efficiency considerations, and the waste treatment technologies and equipment that are most frequently available to the market.

Photo No.	Component/ Material Composition	Weigh t (g)	Percent Weight (%)	Reuse/Recycling (%)	Energy Recovery (%)	Recovery (%)
A1	Metal (Host)	3.77	2.86	2.35	-	2.35
B1	Plastic (Host)	24.67	18.70	15.39	-	15.39
C1	PCB board (Host)	11.28	8.55	-	1	-
A2	Metal (Data line)	1.65	1.25	1.03	-	1.03
B2	Plastic (Data line)	13.89	10.53	8.66	-	8.66
C2	PCB board (Data line)	0.09	0.07	0.06		0.06
A3	Metal (Short data line)	1.09	0.83	0.68	-	0.68



В3	Plastic (Short data line)	6.45	4.89	4.02	-	4.02
A4	Metal (TYPE line)	1.16	0.88	0.72	-	0.72
B4	Plastic (TYPE line)	15.70	11.90	9.79	-	9.79
A5	Metal (Eurocode)	2.93	2.22	1.83	-	1.83
В5	Plastic (Eurocode)	22.70	17.21	14.16	-	14.16
C5	PCB board (Eurocode)	2.29	1.74	1.43		1.43
A6	Metal (American regulations)	2.91	2.21	1.81	-	1.81
В6	Plastic (American regulations)	19.09	14.47	11.91	-	11.91
C6	PCB board (American regulations)	2.24	1.69	1.40		1.40
	Total	131.91	100	75.24	-	75.24

#### Note:

Due to their insignificant weight and the difficulty of their separation in a manual operation, sticker, solder, paint and printing materials are not included in this assessment.

Plastic containing brominated flame retardants is not assessed in the list.

#### 7. Recycling and Recovery Rate Calculation

Reuse Recycling& Recovery Rate using in the report are calculated as following formulas:

Reuse & Recycling Rate=Reuse & Recycling Weight/ Product Total Weight (%)

Recovery Rate=Reuse & Recycling Weight + Energy Recovery Weight/ Product Total Weight (%)

Total weigh of the product is including the main product and accessories.

#### 8. Recycling/Recovery Targets under the WEEE Directive

Minimum targets set for 6 categories EEE finished product from 15 August 2018 in directive 2012/19/EU:

Cat	regory	Reuse & Recycling Rate	Recovery Rate
1.	Temperature exchange equipment	80%	85%
2.	Screens, monitors, and equipment containing screens having a surface greater than 100 cm <sup>2</sup>	70%	80%
3.	Lamps	/	80%
4.	Large equipment (any external dimension more than 50 cm)	80%	85%
5.	Small equipment (no external dimension more than 50 cm)	55%	75%
6.	Small IT and telecommunication equipment (no external dimension more than 50 cm)	55%	75%




#### 9. ANNEX VII of WEEE Directive

Selective treatment for materials and components of waste electrical and electronic equipment:

- Polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) (1),
- Mercury containing components, such as switches or backlighting lamps,
- Batteries.
- Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres,
- Toner cartridges, liquid and pasty, as well as colour toner,
- Plastic containing brominated flame retardants,
- Asbestos waste and components which contain asbestos,
- Cathode ray tubes,
- Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),
- Gas discharge lamps,
- Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- External electric cables,
- Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress Council Directive 67/548/EEC relating to the classification, packaging and labeling of dangerous substances ,
- Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation,
- Electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume)

#### 10. Recommendations for WEEE Directive Compliance

- In order to avoid the product not meeting the reuse/recycling/recovery targets regulated under the WEEE Directive and the regulations of EU countries, the applicant company should, when selecting material and components design, consider they can be easy to reuse and recycle. This consideration will lessen the impact of the required international environmental directives and also improve the product's competitiveness.
- It is recommended that the applicant company, when designing new product, especially where components and materials have a large weight ratio, should consider using recyclable materials in order to increase the product's reuse/recycling/recover ratio.
- The product should apply to the RoHS Directive (Directive 2011/65/EU on the restriction of the use of







certain hazardous substances in electrical and electronics equipment). The hazardous substance specification in the Directive should be controlled in the homogenous material of this product.

— If a product has changed its product design, or materials or components employed, then the product should be reassessed and retested in accordance with the WEEE Directive for reuse/recycling/ recovery assessment and RoHS for restricted/banned substances requirements.

# The photo of the sample









## AGC13697230101-005S1

AGC authenticate the photo only on original report

\*\*\* End of Report \*\*\*



# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.